

CLAIM LISTING:

1. (Currently Amended) A circuit for decoding video data, said circuit comprising:

a computer readable medium storing computer executable instructions;

~~an instruction memory for storing a plurality of executable instructions;~~

a processor for executing the ~~plurality of~~ computer executable instructions, the execution of the plurality of computer executable instructions causing:

storing a portion of a first frame in a row of memory; and

storing a portion of a second frame in the row of memory.

2. (Original) The circuit of claim 1, wherein the portion of the first frame and the portion of the second frame comprises a macroblock.

3. (Original) The circuit of claim 1, wherein the portion of the first frame is in a top half of the first frame, and wherein the portion of the second frame is in a top half of the second frame.

4. (Currently Amended) A circuit for decoding video data, said circuit comprising:

a computer readable medium storing computer executable instructions;

~~an instruction memory for storing a plurality of executable instructions;~~

a processor for executing the ~~plurality of computer~~ executable instructions, the execution of the ~~plurality of computer~~ executable instructions causing:

storing a ~~first~~ top macroblock row of a first frame in a first one or more rows of memory;

storing a ~~first~~ top macroblock row of a second frame in a second one or more rows of memory; and

a particular one of the first one or more rows of memory being adjacent to a particular one of the second one or more rows of memory.

5. (Original) The circuit of claim 4, wherein the first one or more rows of memory are contiguous, and wherein the second one or more rows of memory are contiguous.

6. (Currently Amended) The circuit of claim 4, wherein execution of the plurality of instructions further causes:

storing a ~~first~~ top macroblock row of a third frame in a third one or more rows of memory; and

wherein a particular one of the third one or more rows of memory are adjacent to another particular one of the second one or more rows of memory.

7. (Original) The circuit of claim 6, wherein execution of the plurality of instructions further causes:

storing a second macroblock row of the first frame in a fourth one or more rows of memory;

the third one or more rows of memory being continuous;  
and

wherein a particular one of the fourth one or more rows is adjacent to another particular one of the third one or more rows of memory.

8. (Original) A method for decoding video data, said method comprising:

storing a portion of a first frame in a row of memory;  
and

storing a portion of a second frame in the row of memory.

9. (Original) The method of claim 8, wherein the portion of the first frame and the portion of the second frame comprises a macroblock.

10. (Original) The method of claim 8, wherein the portion of the first frame is in a top half of the first frame, and wherein the portion of the second frame is in a top half of the second frame.

11. (Currently Amended) A method for decoding video data, said method comprising:

storing a ~~first~~ top macroblock row of a first frame in a first one or more rows of memory;

storing a ~~first~~ top macroblock row of a second frame in a second one or more rows of memory; and

a particular one of the first one or more rows of memory being adjacent to a particular one of the second one or more rows of memory.

12. (Original) The method of claim 11, wherein the first one or more rows of memory are contiguous, and

wherein the second one or more rows of memory are contiguous.

13. (Currently Amended) The method of claim 12, ~~wherein execution of the plurality of instructions further causes~~ said method further comprising:

storing a ~~first~~ top macroblock row of a third frame in a third one or more rows of memory; and

wherein a particular one of the third one or more rows of memory are adjacent to another particular one of the second one or more rows of memory.

14. (Original) The method of claim 13, further comprising:

storing a second macroblock row of the first frame in a fourth one or more rows of memory;

the third one or more rows of memory being continuous; and

wherein a particular one of the fourth one or more rows is adjacent to another particular one of the third one or more rows of memory.

15. (New) A circuit for decoding video data, said circuit comprising:

a computer readable medium for storing a computer executable instructions;

a processor for executing the computer executable instructions, the execution of the computer executable instructions causing:

storing a first macroblock row of a first frame in a first one or more rows of memory;

storing a first macroblock row of a second frame in a second one or more rows of memory; and

storing a first macroblock row of a third frame in a third one or more rows of memory, the third one or more rows of memory being continuous;

a particular one of the first one or more rows of memory being adjacent to a particular one of the second one or more rows of memory.

a particular one of the third one or more rows of memory being adjacent to another particular one of the second one or more rows of memory; and

a particular one of the fourth one or more rows being adjacent to another particular one of the third one or more rows of memory.